

National Maternity and Perinatal Audit

Slide 1 of 2

Metric		CQC Key Question	2017 Report ¹	National Aggregate (England only)	National Standard	Comparison to other sites	
Trust-level	2953 cases	Case ascertainment	Well-Led	99.26%*	92.00%	>95%	Meets the national standard
Ante-natal	Insufficient data supplied	Case-mix adjusted proportion of small-for-gestational-age babies (birthweight below 10th centile) who are not delivered before their due date	Effective	Insufficient data supplied	55.30%	N/A	38.7 Insufficient data supplied 74.9
	Insufficient data supplied	Case-mix adjusted proportion of elective deliveries (caesarean or induction) between 37 and 39 weeks with no documented clinical indication for early delivery	Effective	Insufficient data supplied	26.00%	N/A	3.6 Insufficient data supplied 55.6
Intra-partum	Insufficient data supplied	Case-mix adjusted overall caesarean section rate for single, term babies	Effective	Insufficient data supplied	24.50%	N/A	20.2 Insufficient data supplied 32.4



KEY ONLY

Lower than expected (above 99.8% control limit) | Higher than expected (above 99.8% control limit) | Lower than expected (below 99.8% control limit) | Higher than expected (above 99.8% control limit)

Trust | Trust

Within expected range | Within expected range

Display of performance boundaries does vary depending on volume of activity. See FAQs for further information.

National Maternity and Perinatal Audit

Slide 2 of 2

Metric		CQC Key Question	2017 Report ¹	National Aggregate (England only)	National Aspirational Standard	Comparison to other sites				
Intra-partum	Insufficient data supplied	Case-mix adjusted proportion of single, term infants with a 5-minute Apgar score of less than 7	Effective	Insufficient data supplied*	1.20%	N/A	0.5	Insufficient data supplied		3.5
	Insufficient data supplied	Case-mix adjusted proportion of vaginal births with a 3rd/4th degree perineal tear	Safe	Insufficient data supplied*	3.60%	N/A	1.4	Insufficient data supplied		6.5
	Insufficient data supplied	Case-mix adjusted proportion of women with severe post partum haemorrhage of greater than or equal to 1500 ml	Safe	Insufficient data supplied*	2.70%	N/A	1.3	Insufficient data supplied		5.5
Post-partum	Insufficient data supplied	Proportion of live born babies who received breast milk for the first feed	Effective	Insufficient data supplied	74.10%	N/A	45.8	64.5	81.6	96.0
							Insufficient data supplied			



Produced by HQIP in partnership with the

