




Slide 1 of 2

Metric		CQC Key Question	2017 Report ¹	National Aggregate (England only)	National Standard	Comparison to other sites	
Trust-level	9691 cases	Case ascertainment	Well-Led	103.40%*	92.00%	>95%	Meets the national standard
Ante-natal	360 cases	Case-mix adjusted proportion of small-for-gestational-age babies (birthweight below 10th centile) who are not delivered before their due date	Effective	57.18%	55.30%	N/A	 <p>38.7 74.9 Within expected range</p>
		Case-mix adjusted proportion of elective deliveries (caesarean or induction) between 37 and 39 weeks with no documented clinical indication for early delivery	Effective	21.52%	26.00%	N/A	 <p>3.6 55.6 Better than expected</p>
Intra-partum	4020 cases	Case-mix adjusted overall caesarean section rate for single, term babies	Effective	25.58%	24.50%	N/A	 <p>20.2 32.4 Within expected range</p>



National Maternity & Perinatal Audit

www.maternityaudit.org.uk

Produced by HQIP
in partnership with the



KEY ONLY

Lower than expected (above 99.8% control limit)

Higher than expected (above 99.8% control limit)





Lower than expected (below 99.8% control limit)

Higher than expected (above 99.8% control limit)



Display of performance boundaries does vary depending on volume of activity. See FAQs for further information.

Slide 2 of 2


Metric		CQC Key Question	2017 Report ¹	National Aggregate (England only)	National Aspirational Standard	Comparison to other sites	
Intra-partum	3991 cases	Case-mix adjusted proportion of single, term infants with a 5-minute Apgar score of less than 7	Effective	0.94%*	1.20%	N/A	 <p>0.5 Within expected range 3.5</p>
	3030 cases	Case-mix adjusted proportion of vaginal births with a 3rd/4th degree perineal tear	Safe	3.57%*	3.60%	N/A	 <p>1.4 Within expected range 6.5</p>
	4020 cases	Case-mix adjusted proportion of women with severe post partum haemorrhage of greater than or equal to 1500 ml	Safe	4.27%*	2.70%	N/A	 <p>1.3 Worse than expected 5.5</p>
Post-partum	4168 cases	Proportion of live born babies who received breast milk for the first feed	Effective	62.09%	74.10%	N/A	 <p>45.8 64.5 81.6 96.0</p>



Produced by HQIP in partnership with the



KEY ONLY



Display of performance boundaries does vary depending on volume of activity. See FAQs for further information.