

**Hip Fracture Audit**

Metric	CQC Key Question	2017 Report <sup>1</sup>	2018 Report <sup>2</sup>	National Aggregate (England, Wales, NI & IOM)	National Aspirational Standard	Comparison to other hospitals	
138 cases	Case ascertainment	Well Led	76.5%	<b>117.9%</b>	100.7%	100%	65.30 95.30 106.60 416.00
138 cases	Crude proportion of patients having surgery on the day or day after admission	Responsive	87.8%	<b>80.0%</b>	69.5%†	85%*	23.20 64.90 80.30 94.50
138 cases	Crude perioperative medical assessment rate	Effective	88.9%	<b>89.9%</b>	88.6%	100%*	0.00 88.45 97.28 100.00
138 cases	Crude proportion of patients documented as not developing a pressure ulcer	Safe	96.6%	<b>94.9%</b>	95.6%	100%	54.50 93.83 98.50 100.00
138 cases	Crude overall hospital length of stay	Responsive	24.1 days	<b>17.6 days</b>	20 days	none	12.20 16.23 22.00 36.60
138 cases	Risk-adjusted 30-day mortality rate	Effective	3.5%	<b>8.4%</b>	6.9%	none	0.00 6.90 100.00

Values displayed on NHFD website may differ as a result of updates to the supplied data made by providers.




www.nhfd.co.uk

Produced by HQIP in partnership with the



**KEY ONLY:**



Display of performance boundaries does vary depending on volume of activity. See FAQs for further information.